DRYTUN

UK

INDUSTRIAL WASHING TECHNOLOGY - IWT











RWE DRYTUN











Hot air drying tunnels, with belt and electric heating. The Rollwasch® Drytun range includes stainless steel belts with extra small mesh [XS].



RWE DRYTUN




Modello	Forno Lung.x largh. xH.		
Model	Oven Length x width xH.		
Drytun-RWE-3000/400-XS	2000x400x400 mm.		
Drytun-RWE-3000/400-XL	2000x400x400 mm.		
Drytun-RWE-3000/600-XS	2000x600x600 mm.		
Drytun-RWE-3000/600-XL	2000x600x600 mm.		

The Drytun programme offers a reliable and enduring machine, since all the parts in contact with the dampness and wet parts are made in stainless steel. The conventional extra small mesh of the stainless steel belts (XS) allows the transport of several type of articles, even small, while the more economical belt with wide mesh (XL) allows the transport of medium big articles.

RWE DRYTUN





Modello Model	Tipo maglia Mesh type	Tipo riscaldamento Heating type	Larghezza nastro belt width	Potenza totale KW Total power KW
RWE-3000/400-XS-E	maglia nastro a trama fine belt fine stitch type	elettrico electric	400mm	26
RWE-3000/400-XL-E	maglia nastro grecata larga belt with wide stitch	elettrico electric	400mm	26
RWE-3000/600-XS-E	maglia nastro a trama fine belt fine stitch type	elettrico electric	600mm	27
RWE-3000/600-XL-E	maglia nastro grecata larga belt with wide stitch	elettrico electric	600mm	27

Hot air drying tunnels, with belt and electric heating. The Drytun range can be taylored upon the customer requirements



VIA SAN CARLO, 21 20847 ALBIATE (MB) - ITALIA



TEL. +39 0362 930334 FAX. +39 0362 931440

E-MAIL INFO@ROLLWASCH.IT





