

SPIN DRYING HYDROMETAL

MSF

MASS

SURFACE FINISHING

OUR EXPERIENCE, YOUR RESULTS





HYDROMETAL
SPIN DRYING



HYDROMETAL SPIN DRYING




HYDROMETAL
SPIN DRYING



Modello Model	Capacità l o kg. Capacity l or kgs.	
Hydrometal-68	19,5	20
Hydrometal-88	32	30
Hydrometal-128	53	50
Hydrometal-228	72	65
Hydrometal-328	72	80
Hydrometal-600	107	100

Hydrometal is the range of Rollwasch® centrifugal dryers either for drying or de-oiling of small parts in metal or in plastic, completely made in stainless steel.

The **Hydrometal** machines stands out for stainless steel removable basket. The machines are equipped with a security lid and lock controlled by a rotation sensor. In case of de-oiling the machine can be provided without the heating device. Among the controls it is comprehensive of cycle timer, thermostat for the temperature control and safety controls.



Serie Range	Modello Model	Conf.elettrica El. config.	Motore Motor	Capac. cesto drum capacity	CestoØ Drum Ø	Dimensioni di ingombro - mm. Overall dimensions - mm.											
	QX	LX	BX	T	M	*Vre	KW	LT	KG		A	B	C	D	E	F	
HYDROMETAL	68	x	x	x	x	x	x	0,6	19,5	20	318x245	840	423	680	900	445	70
HYDROMETAL	88	x	x	x	x	x(**)	x	0,8	32	30	408x245	840	527	780	905	445	70
HYDROMETAL SR	88	x	-	-	x	-	-	0,8	19,5	15	318x245	840	527	780	905	445	70
HYDROMETAL	128	x	x	x	x	-	x	1,6	52	50	480x285	868	586	840	950	445	70
HYDROMETAL SR	128	x	-	-	x	-	-	1,6	32	25	408X285	868	586	840	950	445	70
HYDROMETAL	228	x	x	-	x	-	x	2,3	72	65	480x400	990	586	840	1050	445	70
HYDROMETAL	328	x	x	-	x	-	x	2,3	72	80	480x400	997	703	956	1074	445	70
HYDROMETAL	600	x	-	-	-	-	x	3,7	107	100	600x311,5	1020	865	1075	1100	480	80

*Vre disponibile solo per mod. QX. Ora viene fornito anche con dispositivo anti-sbilanciamento

(**) disponibile solo per estensione BX

*Vre available only for QX models. Now it is also supplied with anti-displacement

(**) available only for BX models

*Vre disponibile solo per mod. QX. Ora viene fornito anche con dispositivo anti-sbilanciamento
(**) disponibile solo per estensione BX

*Vre available only for QX models. Now it is also supplied with anti-displacement
(**) available only for BX models

Hydrometal, a complete series.



VIA SAN CARLO, 21
20847 ALBIATE (MB) - ITALIA



TEL. +39 0362 930334
FAX. +39 0362 931440
E-MAIL INFO@ROLLWASCH.IT



WWW.ROLLWASCH.COM
PERFECT SURFACES SINCE 1950

OUR EXPERIENCE, YOUR RESULTS

